

SPECIFICATION FOR DRIZIT® EXTREME 240GSM CHEMICAL ROLLS



	MRY24SL001BG	LRY24SL001BG
Size	50cm x 40m	100cm x 40m
Perforations	Across every 40cm	Across every 40cm Along at 50cm
Colour	Yellow	Yellow
Pack Quantity	1	1
Pack Wt (gross)	4.8 kg	9.6 kg
Pack Size	50 x 35 x 35 cm	100 x 35 x 35 cm
Sorbency (pack)	43 - 86 litres	86 - 173 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using water. Higher figure based on high viscosity liquid with no drain.

Composition: >99.5% Polypropylene, <0.5% dye
Meltblown, ultrasonically bonded, spunbond laminated on one side

Basis Wt: 17gsm spunbond 223gsm meltblown

Pack Type: Bag

Compatibility: May be safely used with all aqueous solutions and liquids immiscible with water, such as hydrocarbons, solvents, mineral oils, **with the exception of strong oxidising agents.**
Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.

Fire Resistance: Good. (Physically flame-retardant)
Incinerable to zero ash.

Disposal: Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.

Safety Data: Refer to our Safety Data Sheet.
This product is non-toxic to users and to aquatic life.
Further technical advice is available if required.

Note: All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018